



PUSH-PULL AGRI

QUICK COUPLINGS ISO 7241/A
PUSH-PULL AGRICULTURE

**This model allows to joint the male couplers
with remaining pressure**



Edition. 21.0

CS Carbon Steel

- Type: Quick Couplings
- Models: ISO 7241/A PUSH-PULL AGRICULTURE
- Sizes: DN12,5
- Pressure: up to PN250
- Treatment: Galvanized

SS Stainless Steel

- Type: Quick Couplings
- Models: ISO 7241/A PUSH-PULL AGRICULTURE
- Sizes: DN12,5
- Pressure: up to PN250




Special pin to connect parts under residual pressure.
The pin could be mounted on both sides, male or female.
The opposite side has to be a ISO A standard poppet.

During connection the residual pressure
will release by the smaller holes.



CODE DESCRIPTION STRUCTURE




*On request

- Other threads on request (DIN)
- Plug
- Caps




Available colours:


- Blue
- Yellow
- Red
- Green


**QUICK COUPLINGS PUSH-PULL AGRI ISO 7241/A (female)
FEMALE THREAD ISO 1179-1 BSPP WITH POPPET**

									CS Carbon Steel										SS Stainless Steel
TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE	TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE		
QC PP AGRI G 1/2 FEMALE	12,5	MPa 25	mm 111,2	38	32	G1/2	kg 0,227	NC26G030000	QC PP AGRI G 1/2 FEMALE	12,5	MPa 25	mm 111,2	38	32	G1/2	kg 0,227	NC26G03S000		
		Psi 3625	inch 4,38	1,50	1,26		lb 0,50				Psi 3625	inch 4,38	1,50	1,26		lb 0,50			



**QUICK COUPLINGS PUSH-PULL AGRI ISO 7241/A (female)
FEMALE THREAD ASME B1.20.1 NPT WITH POPPET**

									CS Carbon Steel										SS Stainless Steel
TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE	TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE		
QC PP AGRI N 1/2 FEMALE	12,5	MPa 25	mm 111,2	38	32	N1/2	kg 0,227	NC26N030000	QC PP AGRI N 1/2 FEMALE	12,5	MPa 25	mm 111,2	38	32	N1/2	kg 0,227	NC26N03S000		
		Psi 3625	inch 4,38	1,50	1,26		lb 0,50				Psi 3625	inch 4,38	1,50	1,26		lb 0,50			



QUICK COUPLINGS PUSH-PULL AGRI ISO 7241/A (female) FEMALE THREAD ISO 11926-1 (SAE J1926-1) ORB WITH POPPET

								CS Carbon Steel									SS Stainless Steel
TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE	TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE
QC PP AGRI SAE8 FEMALE	12,5	MPa 25	mm 111,2	38	32	SAE8	kg 0,227	NC26S030000	QC PP AGRI SAE8 FEMALE	12,5	MPa 25	mm 111,2	38	32	SAE8	kg 0,227	NC26S03S000
		Psi 3625	inch 4,38	1,50	1,26		lb 0,50					Psi 3625	inch 4,38	1,50		1,26	



QUICK COUPLINGS PUSH-PULL AGRI ISO 7241/A (female) MALE THREAD ISO 8434-6 BSPP WITH POPPET

								CS Carbon Steel									SS Stainless Steel
TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE	TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE
QC PP AGRI G 1/2M FEMALE	12,5	MPa 25	mm 111,2	38	32	SAE8	kg 0,227	NC26E030000	QC PP AGRI G 1/2M FEMALE	12,5	MPa 25	mm 111,2	38	32	SAE8	kg 0,227	NC26E03S000
		Psi 3625	inch 4,38	1,50	1,26		lb 0,50					Psi 3625	inch 4,38	1,50		1,26	